
























Installation Manual

PART NUMBER(S)	Model Year
TESS 1546 SE	DongFeng Rich 6 2021+
Cab(s)	Installation Time / Weight
Double Cab	40-60 minutes / 53-57 kg



  Ø 25 mm   + 			
 4 mm  1 - 25 Nm  13, 17 mm			
			
 ACETONE			  ANTI-RUST
  INSTALLATION MANUAL  OWNERS MANUAL x1			





B


A

KITS


G






3





4





7



8

CAUTION

Ø 25 mm

Rust Protection

max: 2 mm

5 mm

CAUTION


X

X


X

The diagram illustrates the correct drilling technique for creating a hole in a metal surface. It features a large illustration of a car's interior door panel with a circular inset showing a close-up of the drilling process. The inset shows a drill bit being used to create a hole. A green arrow indicates the maximum depth of the hole should be 2 mm. A red arrow indicates an incorrect depth of 5 mm. A yellow triangle with an exclamation mark and the word "CAUTION" is shown above the drill. A green checkmark is placed next to the correct 2 mm depth, while a red X is placed next to the incorrect 5 mm depth. To the left of the main illustration, there is a box containing a drill bit icon labeled "Ø 25 mm" and a warning symbol labeled "Rust Protection". Below the main illustration, a sequence of three icons shows the steps: first, a drill bit; second, a brush applying rust protection to the hole; third, a brush applying paint to the surrounding area. Each step is separated by a right-pointing arrow.


10




11






G1








12



G2









18

H



x4

E





3 mm

8 mm

85 mm

95 mm

CAUTION





CAUTION







3 mm

8 mm




CAUTION







CAUTION !




CAUTION !



21



22



GR: Οδηγίες Εγκατάστασης
GB: Installation manual
SF: Asennusohje
F: Notice de montage
PL: Instrukcja montażu
NL: Installatie-instructies
TR: Montaj Talimatı
S: Monteringsanvisning
E: Instrucciones de montaje

H: Szerelési utasítás
P: Instruções de instalação
RUS: Инструкция по установке
N: Monteringsveiledning
D: Einbauanleitung
CZ: Návod k instalaci
I: Istruzioni di montaggio
DK: Monteringsvejledning
RO: Instructiuni de instalare

Customer Service:

+30 (210) 5541161, +30 (210) 5541154 (08:00 - 16:00 EET)

Support department:

info@gianso.gr

Website:

www.tessera4x4.com

Address:

19.5 km of National road Athens-Korinthos (Elefsina) Greece, P.C: 19200